



Safety Equipment Australia Pty Ltd
 35/1 Jubilee Avenue, Warriewood NSW 2102 Australia
 (+61) 2 9979 5077



231 Cartridge

THIS CARTRIDGE IS APPROVED ONLY IN THE FOLLOWING CONFIGURATIONS

RESPIRATOR COMPONENTS

TC-	Protection ¹	Cartridge	Demand Valve			Alternate Full Facepiece					Alternate Half Facepiece			Alternate Head Harness					Alternate Visors			Filter	Alternate Breathing Hose			Alternate Fan Unit				Alternate Batteries		Alternate Battery Charger		Alternate Harness				Accessory	Filter Adaptor for SE400AT		Accessory Prefilter	Alternate Accessory Speaker Unit			Cautions and Limitations ²			
			ZB1	DV2	DV3	RF1N	RF1C	RF1S	RF3-FC	RF3-PP	RF3-FS	RH1S	RH1ML	RH1L	RHH-SS	RHH-CR	FHC	FHC-H	FHN	FHS	VLG		VP	VHC	210/310-2	H1	H2	H2-E	SE400	SE400A	SE400AT	SE400AT-2	B1	DB1	BC1	BC2	WB1		WB2S	WB2L		BP2	WB3	NR290-3		TA1	Z1	S1
23C-2026	CL/HC/SD/FM	X	X	X						X	X	X	X	X								X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	ABC FHIJ K LMNO
23C-2027	HE/CL/HC/SD/FM	X	X	X						X	X	X	X	X								X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	ABC FHIJ K LMNO P		
23C-2066	CL/HC/SD/FM	X	X	X	X	X	X	X	X						X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	ABC FHIJ LMNO		
23C-2067	HE/CL/HC/SD/FM	X	X	X	X	X	X	X	X						X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	ABC FHIJ LMNO P		

1. PROTECTION

HE - High Efficiency Particulate Air filter for powered, air purifying respirators

CL - Chlorine
 FM - Formaldehyde

HC - Hydrogen chloride
 SD - Sulfur dioxide

2. CAUTIONS AND LIMITATIONS

- A - Not for use in atmospheres containing less than 19.5 percent oxygen.
- B - Not for use in atmospheres immediately dangerous to life or health.
- C - Do not exceed maximum use concentrations established by regulatory standards.
- F - Do not use powered air-purifying respirators if airflow is less than four cfm (115 lpm) for tight fitting facepieces or six cfm (170 lpm) for hoods and/or helmets
- H - Follow established cartridge and canister change schedules or observe ESLU to ensure that cartridges and canisters are replaced before breakthrough occurs
- I - Contains electrical parts which have not been evaluated as an ignition source in flammable or explosive atmospheres by MSHA/NIOSH.
- J - Failure to properly use and maintain this product could result in injury or death.
- K - The Occupational Safety and Health Administration regulations require gas-proof goggles to be worn with this respirator when used against formaldehyde.
- L - Follow the manufacturer's User Instructions for changing cartridges, canister and/or filters.
- M - All approved respirators shall be selected, fitted, used, and maintained in accordance with MSHA, OSHA and other applicable regulations.
- N - Never substitute, modify, add, or omit parts. Use only exact replacement parts in the configuration as specified by the manufacturer.
- O - Refer to User's Instructions, and/or maintenance manuals for information on use and maintenance of these respirators.
- P - NIOSH does not evaluate respirators for use as surgical masks.