



Safety Equipment Australia Pty Ltd
 35/1 Jubilee Avenue, Warriewood NSW 2102 Australia
 (+61) 2 9910 7500



FP-C Mask

THIS RESPIRATOR IS APPROVED ONLY IN THE FOLLOWING CONFIGURATIONS												
RESPIRATOR COMPONENTS												
TC-	Protection ¹	Facepiece	Canister	Accessory Foam Insert	Accessory Speaker Unit	Accessory Belt Attachment	Accessory Visor Cover	Accessory Eye Wear Insert	Accessory Prefilter	Accessory Prefilter Holder	Cautions and Limitations ^{2,3}	
		FP-C	125-CBRN1	SEA-FI	ST2-F	HSE	VC	FSF-T	221	PFH-T		
14G-0299	CBRN Cap 1	X	X	X	X	X	X	X	X	X	A J L M O R T V W X Y Z CC HH LL QQ UU	

1. PROTECTION

CBRN Cap 1 - Capacity meets minimum 15 minutes test time.

CBRN - Chemical, Biological, Radiological and Nuclear

2. CAUTIONS AND LIMITATIONS

- A - Not for use in atmospheres containing less than 19.5 percent oxygen.
- J - Failure to properly use and maintain this product could result in injury or death.
- L - Follow the manufacturer's instructions for changing cartridges, canisters and/or filters.
- M - All approved respirators shall be selected, fitted, used, and maintained in accordance with MSHA, OSHA, and other applicable regulations.
- O - Refer to User's Instructions , and/or manuals for information on use and maintenance of these respirators.
- LL- This Respirator contains filter or cartridge components that are not approved for all protections in all configurations. Check the specific row on the NIOSH approval label to ensure proper use.

3. CBRN CAUTIONS AND LIMITATIONS

- R - Some CBRN agents may not present immediate effects from exposure, but can result in delayed impairment, illness, or death.
- T - Direct contact with CBRN agents requires proper handling of the respirator after each use and between multiple entries during the same use. Decontamination and disposal procedures must be followed. If contaminated with liquid chemical warfare agents, dispose of the respirator after decontamination.
- V - Not for use in atmospheres immediately dangerous to life or health or where hazards have not been fully characterized.
- W - Use replacement parts in the configuration as specified by the applicable regulations and guidance.
- X - Consult manufacturer's User's Instructions for information on the use, storage, and maintenance of these respirators at various temperatures.
- Y - The respirator provides respiratory protection against inhalation of radiological and nuclear dust particles. Procedures for monitoring radiation exposure and full radiation protection must be followed.
- Z - If during use, an unexpected hazard is encountered such as a secondary CBRN device, pockets of entrapped hazard or any unforeseen hazard, immediately leave the area for clean.
- CC- For entry, do not exceed maximum use concentrations established by regulatory standards.
- HH - When used at defined occupational exposure limits, the rated service time cannot be exceeded. Follow established canister change out schedules or observe End of Service Life Indicators to ensure that canisters are replaced before breakthrough occurs.
- QQ- Use in conjunction with personal protective ensembles that provide appropriate levels of protection against dermal hazard. Failure to do so may result in personal injury even when the respirator is properly fitted, used, and maintained.
- UU- The respirator should not be used beyond eight (8) hours after initial exposure to chemical warfare agents to avoid possibility of agent permeation. If liquid exposure is encountered, the respirator should not be used for more than two (2) hours